

enbio.




Enbio S + Enbio PRO
**Meet the Enbio's autoclaves.
The Speedmasters.**

Designed  in Switzerland


Another dimension. Same performance.

Enbio sterilizers are up to 6 times smaller and 3 times lighter than a typical class-B / vacuum autoclave. But when it comes to work efficiency, they keep up the pace.



	Typical autoclave	Enbio PRO	Enbio S
 Tool pouches / h	50	50	32
Vacuum / drying	✓	✓	✓

The new definition of sterilization speed.





Time is money. and when you need to have your instruments ready to use, you need them, well, right away. Enbio bends the laws of physics to keep wait times to a minimum.




Enbio S. Speedmaster.


Enbio S is compact to fit even a cramped space. Unbelievably short process times will save your procedure in emergency, or allow sterilization of the instruments as you go, between patients.



<p>Unwrapped FAST / 134°C</p> <p>7 min</p>	<p>Wrapped Class B / 134°C</p> <p>15 min</p>	<p>Wrapped Class B / 121°C</p> <p>30 min</p>
---	---	---

red dot design award winner



Unit weight
15 kg

Capacity
Max. packages amount (circa) **8**
Max. recommended batch weight **0,5 kg**
Process chamber volume **2,7 l**

Pressure & temperature
Working pressure **2,1 Bar**
Max. pressure **2,3 Bar**
Max. process temperature **137°C**

Dimensions
Width **25 cm**
Height **15,8 cm**
Depth **56 cm**



Electrical
Power supply **220-240V 50/60Hz**
Installed power **2,25 kW**
Max. power consumption **10 A**

Misc
Ingress protection level **IP20**
Data archiving **USB stick**
Water conductivity* **< 15 µS/cm**


* - demineralized water only

Enbio PRO. Small dimensions. Big space.

Enbio PRO is an ideal solution as a basic workhorse in a small practice. Superfast sterilization and room to hold most of the instruments, including popular implant cassettes.



Unwrapped FAST / 134°C	Wrapped Class B / 134°C	Wrapped Class B / 121°C	Wrapped / PRION Class B / 134°C
9 min	18 min	30 min	43 min



Unit weight
20 kg

Capacity
Max. packages amount (circa) **16**
Max. recommended batch weight **0,8 kg**
Process chamber volume **5,3 l**

Pressure & temperature
Working pressure **2,1 Bar**
Max. pressure **2,3 Bar**
Max. process temperature **137°C**

Dimensions
Width **25 cm**
Height **20 cm**
Depth **57,5 cm**


Electrical
Power supply **220-240V 50/60Hz**
Installed power **2,45 kW**
Max. power consumption **13 A**

Misc
Ingress protection **IP20**
Data archiving **USB stick**
Water conductivity* **< 15 µS/cm**


* - demineralized water only

State-of-the-art technology

Enbio's autoclaves are the result of years of extensive research and are a state-of-the-art piece of modern medical technology.



Enbio user manual.



1. Plug in
2. Choose program
3. Start working



A growing network of more than 200 distributors in almost 50 countries works to bring Enbio revolution to your doors. Scan the QR code and find a distributor nearest to you.

Worldwide presence.



Enbio autoclaves are manufactured in the EU and distributed globally through logistics centers covering Europe, North America and the Middle East.

